

DONGGUAN OTAI SPECIAL STEEL LTD

Address: ROOM A 3/F, WING TAT COMMERCIAL BLDG, 121-125 WING LOK ST SHEUNG WAN HK
 Contact: Jeremy He Tel: +86 769 2319 0193 Fax: +86 769 8870 5839 Website: www.otasteel.com

4140/42CrMo4 Plate Inventory List

Updated Date: 2024/6/10

GRADE	SHAPE	ORIGIN	THICKNESS MM	WIDTH MM	LENGTH MM	PIECE	KGS	CONDITION	Hardness (HRC)
4140/42CrMo4	Plate	CHINA	13.1	2250	5270	1	1219.37	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	6270	1	1461.82	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	5600	1	1305.61	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	5890	1	1373.22	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	6270	1	1461.82	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	6070	1	1415.19	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	5400	1	1258.98	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	5780	1	1347.58	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.2	2250	6200	1	1445.5	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	6190	1	1454.1	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5620	1	1320.2	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5590	1	1313.15	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5780	1	1357.79	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5580	1	1310.8	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5600	1	1315.5	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	6100	1	1432.96	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5650	1	1327.25	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	5660	1	1329.6	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	6000	1	1409.47	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	13.3	2250	6160	1	1447.05	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	5190	1	1485.03	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	5330	1	1525.09	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6480	1	1854.14	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	5970	1	1708.21	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6270	1	1794.05	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6880	1	1968.59	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6570	1	1879.89	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6580	1	1882.75	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	7000	1	2002.93	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6180	1	1768.3	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6990	1	2000.07	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.2	2250	6990	1	2000.07	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	16.4	2250	7550	1	2186.97	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	18.5	2245	6770	1	2207.22	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	18.8	2245	7180	1	2378.86	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	18.9	2250	6980	1	2330.07	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	20	250	366	1	14.37	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	20.9	2250	8000	1	2953.17	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	20.9	2250	8090	1	2986.39	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	21	2250	10200	1	3783.31	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	21	2250	7500	1	2781.84	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	21	2250	7700	1	2856.03	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	21.3	2250	7100	1	2671.1	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.4	2240	6000	1	2468.79	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.6	2250	6770	1	2821.97	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.6	2240	6580	1	2730.58	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.7	2240	5680	1	2367.09	QT, black surface	28-34

4140/42CrMo4	Plate	CHINA	23.8	2245	6710	1	2814.4	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.9	2245	7080	1	2982.07	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	23.9	2250	6970	1	2942.27	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	26.4	2250	9200	1	4289.87	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	28.7	2250	10400	1	5271.9	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	31	2250	6700	1	3668.5	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	31	2250	6900	1	3778.01	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	31.1	2250	6000	1	3295.82	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	31.1	2250	6500	1	3570.47	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	31.2	2250	6060	1	3339.48	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	33.4	2250	8300	1	4896.4	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	33.9	2270	7330	1	4427.91	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36	2250	8730	1	5550.97	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36.2	2250	9200	1	5882.32	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36.3	2230	8700	1	5528.41	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36.5	2240	7300	1	4685.26	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36.8	2250	8700	1	5654.83	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	36.9	2270	5330	1	3504.69	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	38.2	2250	6800	1	4588.01	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	38.3	2250	6400	1	4329.43	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	38.3	2250	9150	1	6189.74	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	38.4	2250	6700	1	4544.21	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	38.4	2250	9200	1	6239.81	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	46.2	2250	8300	1	6772.86	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	46.3	2250	11100	1	9077.29	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	46.3	2250	8200	1	6705.75	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	46.3	2250	8350	1	6828.41	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	51.2	2250	10700	1	9676.22	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	51.3	2250	10750	1	9740.43	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	51.5	2250	6900	1	6276.37	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	56.2	2250	9060	1	8993.25	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	56.8	2260	8060	1	8121.97	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	56.8	2260	7710	1	7769.28	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	61.2	2250	9600	1	10377.07	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	61.4	2250	9400	1	10194.09	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	61.9	2240	8300	1	9034.13	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	66.2	2250	8900	1	10406.39	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	66.2	2250	9000	1	10523.32	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	71	2250	8400	1	10533.92	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	71	2250	5600	1	7022.61	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	71.3	2250	5200	1	6548.55	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	72	2250	10910	1	13874.25	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	76	2270	8430	1	11416.6	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	76.3	2250	11600	1	15632.73	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	76.3	2250	9600	1	12937.43	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	81.4	2250	10200	1	14664.82	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	81.5	2250	6100	1	8780.91	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	86.5	2250	6700	1	10236.3	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	86.7	2265	3950	1	6089.11	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	87.4	2230	11400	1	17441.78	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	91.2	2250	9400	1	15141.71	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	96	2250	5000	1	8478	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	96.2	2250	9200	1	15632.02	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	101	2250	5000	1	8919.56	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	101.6	2250	11300	1	20277.96	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	106	2240	5100	1	9505.91	QT, black surface	28-34

4140/42CrMo4	Plate	CHINA	106	2250	8250	1	15445.86	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	112	2240	10400	1	20481.84	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	112	2240	10400	1	20481.84	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	116.5	2250	8470	1	17428.56	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	121	2250	9300	1	19875.61	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	122	2260	7000	1	15150.82	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	131	2260	3860	1	8970.91	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	131.5	2250	8800	1	20439.05	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	141	2250	4300	1	10708.77	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	151	2250	4500	1	12001.67	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	151.3	2250	7840	1	20951.12	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	151.3	2250	7850	1	20977.84	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	161	2255	5200	1	14819.91	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	161.5	2250	7350	1	20965.83	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	172	2240	6100	1	18449.13	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	172.9	2260	6070	1	18619.23	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	182	2260	5800	1	18727.4	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	192	2250	5540	1	18787.25	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	201.3	2260	5340	1	19070.55	QT, black surface	28-34
4140/42CrMo4	Plate	CHINA	8	2200	10500	13	19440	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	10	2200	10500	16	30480	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	12	2250	10300	1	2183.09	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	12	2250	10200	1	2161.89	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	12	2250	10200	1	2161.89	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	12	2260	10300	1	2192.79	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	8600	1	2126.57	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	8000	1	1978.2	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	8900	1	2200.75	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	9600	1	2373.84	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	8500	1	2101.84	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	14	2250	8500	1	2101.84	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	16	2280	9700	1	2777.77	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	16	2250	9300	1	2628.18	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	16	2250	9300	1	2628.18	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2270	9450	1	3031.1	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2270	9500	1	3047.13	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	9300	1	2956.7	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	11200	1	3560.76	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	9000	1	2861.33	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	11000	1	3497.18	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	9400	1	2988.5	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	18	2250	11400	1	3624.35	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	20	2250	10800	1	3815.1	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	20	2250	11400	1	4027.05	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	20	2250	11400	1	4027.05	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	20	2250	10600	1	3744.45	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	22	2260	10100	1	3942.05	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	22	2200	10500	4	16290	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	25	2250	12300	1	5431.22	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	25	2200	10000	6	26960	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	28	2200	9800	6	28960	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	32	2250	10800	1	6104.16	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	32	2250	8450	1	4775.94	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	35	2250	9200	1	5687.33	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	35	2250	9200	1	5687.33	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	38	2240	10400	1	6949.2	Hot rolled, black surface	

4140/42CrMo4	Plate	CHINA	38	2240	9200	1	6147.37	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	38	2250	10800	1	7248.69	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	38	2250	10600	1	7114.46	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	38	2250	10500	1	7047.34	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	40	2250	10700	1	7559.55	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	40	2250	10600	1	7488.9	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	40	2250	10500	1	7418.25	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	40	2250	10800	1	7630.2	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2295	10300	1	7793.61	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2260	10500	1	7823.78	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2250	9020	1	6691.26	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2250	9100	1	6750.61	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2250	9300	1	6898.97	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	42	2250	1100	1	816.01	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	45	2250	9240	1	7344.07	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	45	2250	9250	1	7352.02	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	45	2250	10000	1	7948.13	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	45	2250	10000	1	7948.13	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	48	2270	8650	1	7398.66	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	48	2260	10100	1	8600.84	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	50	2250	7800	1	6888.38	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	52	2250	11000	1	10102.95	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	55	2260	8250	1	8049.98	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	57	2250	9000	1	9060.86	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	60	2250	11200	1	11869.2	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	60	2530	9750	1	11618.39	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	60	2530	9700	1	11558.81	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	65	2250	8630	1	9907.78	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	65	2540	7550	1	9785.07	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	65	2540	7550	1	9785.07	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	75	2250	8100	1	10729.97	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	75	2240	8200	1	10814.16	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	80	2250	9600	1	13564.8	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	80	2250	9700	1	13706.1	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	80	2250	11100	1	15684.3	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	90	2250	11300	1	17962.76	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	95	2230	10200	1	16962.83	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	95	2300	8800	1	15093.98	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	100	2250	11100	1	19605.38	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	100	2250	11000	1	19428.75	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	105	2250	8200	1	15207.41	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	105	2250	7800	1	14465.59	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	110	2240	9900	1	19148.98	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	115	2250	5100	1	10359.06	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	115	2240	7500	1	15166.2	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	115	2240	7500	1	15166.2	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	120	2250	8950	1	18969.53	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	125	2230	8750	1	19146.64	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	125	2250	8650	1	19097.58	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	130	2230	8500	1	19343.58	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	130	2250	8250	1	18943.03	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	135	2240	8150	1	19346.8	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	140	2250	4300	1	10632.83	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	145	2240	7600	1	19377.57	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	150	2250	7250	1	19207.97	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	150	2250	7300	1	19340.44	Hot rolled, black surface	

4140/42CrMo4	Plate	CHINA	150	2250	7200	1	19075.5	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	160	2250	6900	1	19499.4	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	170	2250	5600	1	16814.7	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	170	2235	7900	1	23562.6	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	180	2230	5300	1	16700.25	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	180	2240	5350	1	16933.39	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	180	2240	5350	1	16933.39	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	190	2240	5800	1	19377.57	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	190	2250	5800	1	19464.08	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	200	2250	5450	1	19252.13	Hot rolled, black surface	
4140/42CrMo4	Plate	CHINA	200	2240	4700	1	16528.96	Hot rolled, black surface	
							1,966,439.32		

DONGGUAN OTAI SPECIAL STEEL LTD

Address: ROOM A 3/F, WING TAT COMMERCIAL BLDG, 121-125 WING LOK ST SHEUNG WAN HK
 Contact: Jeremy He Tel: +86 769 2319 0193 Fax: +86 769 8870 5839 Website: www.otasteel.com

41Cr4/5140 Plate Inventory List

Updated Date: 2024/6/10

GRADE	SHAPE	ORIGIN	THICKNESS MM	WIDTH MM	LENGTH MM	PIECE	KGS	CONDITION	Remark
41Cr4/5140	Plate	CHINA	8	2200	12000	12	20580	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	10	2200	10500	12	22640	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	11	2200	10000	6	11970	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	12	2200	11000	18	41180	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	14	2250	9300	1	2299.66	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	14	2250	8900	1	2200.75	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	14	2200	11000	12	32440	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2260	9000	1	2554.7	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2280	8900	1	2548.68	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9000	1	2264.19	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9000	1	2264.19	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9000	1	2264.19	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9500	1	2389.98	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9500	1	2389.98	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2003	9000	1	2264.19	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	16	2200	11000	9	30660	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	22	2250	10600	1	4118.9	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	28	2200	9500	3	14120	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	30	2250	9500	1	5033.81	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	30	2250	9600	1	5086.8	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	32	2250	8650	1	4888.98	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	32	2200	10000	1	5950	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	35	2200	11500	1	7110	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	38	2250	11500	1	7718.51	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	38	2260	1200	1	808.99	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	38.2	2240	8200	1	5508.01	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	40	2250	8500	1	6005.25	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	40	2250	8500	1	6005.25	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	42	2250	10150	1	7529.52	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	42	2250	10200	1	7566.62	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	42	2250	10120	1	7507.27	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	45	2260	8250	1	6586.35	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	45	2250	8600	1	6835.39	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	45	2250	8500	1	6755.91	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	45	2230	8350	1	6577.69	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	45	2030	9600	1	6884.14	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	48	2250	8900	1	7545.42	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	48	2250	8900	1	7545.42	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	48	2240	11040	1	9318.11	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	48	2240	11900	1	10043.98	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2250	8650	1	7639.03	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2240	8360	1	7350.11	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2250	8600	1	7594.88	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2250	8600	1	7594.88	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2250	8470	1	7480.07	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2030	8600	1	6852.27	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2002	7100	1	5579.07	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	50	2002	7300	1	5736.23	Hot rolled, black surface	/
41Cr4/5140	Plate	CHINA	52	2200	10000	2	17680	Hot rolled, black surface	/